

1. A system for sending and receiving content from at least one server connected to a network, the system comprising:

an access device connected to said network;

an input device presenting to a user an interface including a numeric touchpad, the numeric touchpad having a plurality of numbered keys that, when selected by the user, cause the access device to request specified classes of information from the at least one server; and

a computer-readable medium having stored thereon computer-executable instructions for configuring the plurality of keys by associating the specified classes of information with particular keys of the plurality of keys.

2. A system as recited in claim 1, wherein the input device comprises a display device on which the user interface is displayed.

3. A system as recited in claim 2, wherein the numeric touchpad comprises a graphically displayed representation of a configuration generally similar to a touchpad of a touchtone telephone.

4. A system as recited in claim 1, wherein the numeric touchpad comprises an alphanumeric touchpad.

5. A system as recited in claim 1, wherein the input device comprises a touchtone telephone including a numeric touchpad of a touchtone telephone.

1 6. A system for sending and receiving content from at least one server  
2 connected to a network, the system comprising:

3 an access device connected to said network, including:

4 an input device presenting to a user an interface including a numeric  
5 touchpad, the numeric touchpad having a plurality of numbered keys that,  
6 when selected by the user, cause the access device to request specified  
7 classes of information from the at least one server; and

8 an output device for outputting the specified classes of information  
9 that the access device receives; and

10 a computer-readable medium having stored thereon computer-executable  
11 instructions for configuring the plurality of keys by associating the specified classes  
12 of information with particular keys of the plurality of keys.

13  
14 7. A system as recited in claim 6, wherein the interface of the input device  
15 comprises a display device, wherein the display device is capable of displaying the  
16 numeric touchpad.

17  
18 8. A system as recited in claim 6, wherein the numeric touchpad is generated  
19 by the at least one server.

20  
21 9. A system as recited in claim 6, wherein the output device comprises a video  
22 display device.

1 10. A system as recited in claim 6, wherein the output device comprises an audio  
2 speaker device.

3  
4 11. A system as recited in claim 6, wherein the access device comprises a  
5 computer system.

6  
7 ~~12.~~ In an access device connected to a network by a communication link,  
8 wherein the network includes a communication link to at least one server, a method of  
9 providing the access device with access to information stored at the at least one server in  
10 response to selection of keys of a numeric touchpad included in an interface of an input  
11 device associated with the access device, the method comprising the acts of:

12 displaying an interface to a user on a display device associated with the  
13 access device, the interface including a representation of a first numeric touchpad  
14 having a configuration that is generally similar to the configuration of a second  
15 numeric touchpad included on a telephone associated with the network, the second  
16 numeric touchpad causing the telephone to transmit a request to the server for a  
17 specified class of information in response to selection of a particular key on the  
18 second numeric touchpad;

19 at the access device, receiving input in response to a selection of a particular  
20 key of the first numeric touchpad that corresponds to the particular key of the  
21 second numeric touchpad; and

22 in response to the received input, transmitting a request from the access  
23 device to the at least one server for the specified class of information.  
24

1           13.     A method as recited in claim 12, wherein the display device comprises a  
2 video display device.

3  
4           14.     A method as recited in claim 13, wherein the act of displaying the interface  
5 to the user comprises displaying the keys of the first numeric keypad on the video display  
6 device.

7  
8           15.     A method as recited in claim 14, wherein said access device comprises a  
9 pointing device capable of selecting a particular key of the first numeric touchpad.

10  
11           16.     A method as recited in claim 12, wherein the act of receiving input in  
12 response to a selection of a particular key on the first numeric keypad comprises  
13 depressing the particular key on the numeric keypad.

14  
15           17.     A method as recited in claim 12, wherein the act of transmitting a request  
16 from the access device to the at least one server comprises transmitting the request over the  
17 network system.

18  
19           18.     A method as recited in claim 12, wherein the access device comprises a  
20 computer system.

1       19. A system for sending and receiving content from at least one server  
2 connected to a network, the system comprising:

3               an access device connected to said network, including:

4                       a first input device presenting to a user an interface including a  
5 numeric touchpad, the numeric touchpad including a plurality of keys, the  
6 plurality of keys being configured generally similar to the configuration of  
7 the keys on a numeric touchpad on a touchtone telephone, that when  
8 selected by the user, cause the access device to request specified classes of  
9 information from the at least one server;

10                      an output device to output received specified classes of information  
11 from the server; and

12                      a computer-readable medium having stored thereon computer-  
13 executable instructions for configuring the plurality of keys by associating  
14 the specified classes of information with particular keys of the plurality of  
15 keys.

16  
17       20. A system as recited in claim 19, wherein the access device comprises a  
18 second input device presenting to the user an interface including a receiver device capable  
19 of receiving voice commands that, when voice commands are given by the user, cause the  
20 access device to request specified classes of information from the at least one server.

21  
22       21. A system as recited in claim 19, wherein the output device comprises a  
23 video display device.  
24

1           22.    A system as recited in claim 21, wherein outputting received specified  
2 classes of information comprises displaying the received specified classes of information  
3 in visual format on the video display device.

4  
5           23.    A system as recited in claim 19, wherein the output device includes a  
6 speaker device for outputting the specified classes of information in audio format.

7  
8           24.    A system as recited in claim 19, wherein the access device is a computer  
9 system.

1       ~~25.~~ A computer program product for implementing, in an access device included  
2 on a network with a communication link to at least one server, a method of providing the  
3 access device with access to specific classes of information stored on the at least one server  
4 in response to selection of keys of a numeric touchpad included in an interface of an input  
5 device associated with the access device, the computer program product comprising:

6               a computer-readable medium carrying computer-executable instructions  
7 that, when executed at the access device, cause the access device to perform the  
8 method, including the acts of:

9               on a display device associated with the access device, displaying an  
10 interface to a user that includes a first numeric touchpad, the first numeric  
11 touchpad having a configuration that is generally similar to a configuration  
12 of a second numeric touchpad included on a telephone associated with the  
13 network, the second touchpad having a particular key that, when selected,  
14 causes a request to be transmitted to the server for a specified class of  
15 information;

16               receiving input selecting a particular key of the first numeric  
17 touchpad that corresponds to the particular key of the second numeric  
18 touchpad; and

19               in response to the received input, transmitting a request from the  
20 access device to the server for the specified class of information.  
21  
22  
23  
24